Windbreak Interpretations

Farmstead windbreaks protect livestock, buildings, and yards from wind and snow. They also protect fruit trees and gardens, and they furnish habitat for wildlife. Several rows of low-growing and high-growing broadleaf and coniferous trees and shrubs provide the most protection.

Field windbreaks are narrow plantings made at right angles to the prevailing wind and at specific intervals across the field. The interval depends on the erodibility of the soil. Field windbreaks protect cropland and crops from wind, help to keep snow on the fields, increase crop yields, and provide food and cover for wildlife.

Each tree or shrub species has certain climatic and physiographic limits. Within these parameters a tree or shrub may be well or poorly suited because of soil characteristics. Each tree or shrub also has definable potentials of height growth based on the soil type and climate.

Information in this subsection, which includes windbreak suitability groups and a windbreak and environmental plantings table, can be used as a guide in planning windbreaks and screens.

This subsection includes:

• (a) Trees and Shrubs for Windbreak and Environmental Plantings

Dallas County, Missouri Windbreaks and Environmental Plantings

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of				
	 <8 	8-15	16-25	26-35	>35
02B: Celt	 American plum; common lilac; fragrant sumac	Amur maple; gray dogwood; Washington hawthorn	Austrian pine; common hackberry; eastern redcedar; honeylocust; unknown; Virginia pine		
03C: Wilderness					
04: Bado	 American plum; common lilac; fragrant sumac	Amur maple; gray dogwood; Washington hawthorn	Austrian pine; common hackberry; eastern redcedar; honeylocust; unknown; Virginia pine	 	
05: Gerald					
06B: Hoberg		 	 		
07B: Lebanon	 	 	 	 	
08B: Viraton	 	 	 	 	
08C: Viraton		 	 		

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of				
	<8	8-15	16-25	26-35	>35
09B: Hobson	American plum; common lilac; fragrant sumac	Amur maple; gray dogwood; Washington hawthorn	Austrian pine; common hackberry; eastern redcedar; honeylocust; unknown; Virginia pine	 	
09C: Hobson	 American plum; common lilac; fragrant sumac 	 Amur maple; gray dogwood; Washington hawthorn 	Austrian pine; common hackberry; eastern redcedar; honeylocust; unknown; Virginia pine	 	
14G: Gepp				 	
Goss	 fragrant sumac 	American plum; gray dogwood; southern arrowwood	 eastern redbud; eastern redcedar; Washington hawthorn	green ash; northern red oak; tuliptree; white fir	eastern white pine
Bardley	 American plum; common lilac; fragrant sumac	Amur maple; gray dogwood; Washington hawthorn	Austrian pine; common hackberry; eastern redcedar; honeylocust; unknown; Virginia pine		
17D: Gepp					
Goss	 fragrant sumac 	American plum; gray dogwood; southern arrowwood	 eastern redbud; eastern redcedar; Washington hawthorn	green ash; northern red oak; tuliptree; white fir	 eastern white pine

Map symbol	Trees having predicted 20-year average height, in feet, of				
and soil name	<8	8-15	16-25	26-35	>35
18D: Gasconade					
Rock outcrop				 	
18G: Gasconade	 	 	 	 	
Rock outcrop		 I	 !	 	 I
20C: Ocie	 fragrant sumac 	American plum; gray dogwood; southern arrowwood	 eastern redbud; eastern redcedar; Washington hawthorn	green ash; northern red oak; tuliptree; white fir	 eastern white pine
Goss	 fragrant sumac 	 American plum; gray dogwood; southern arrowwood	 eastern redbud; eastern redcedar; Washington hawthorn	green ash; northern red oak; tuliptree; white fir	eastern white pine
Gatewood					
20E: Ocie	 fragrant sumac 	American plum; gray dogwood; southern arrowwood	 eastern redbud; eastern redcedar; Washington hawthorn	green ash; northern red oak; tuliptree; white fir	eastern white pine
Goss	 fragrant sumac 	American plum; gray dogwood; southern arrowwood	 eastern redbud; eastern redcedar; Washington hawthorn	green ash; northern red oak; tuliptree; white fir	eastern white pine
Gatewood		 	 	 	
24E: Goss	 fragrant sumac 	 American plum; gray dogwood; southern arrowwood	 eastern redbud; eastern redcedar; Washington hawthorn	green ash; northern red oak; tuliptree; white fir	 eastern white pine

Dallas County, Missouri Windbreaks and Environmental Plantings

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of				
	<8	8-15	16-25	26-35	>35
25C: Goss	 fragrant sumac 	 American plum; gray dogwood; southern arrowwood	 eastern redbud; eastern redcedar; Washington hawthorn	green ash; northern red oak; tuliptree; white fir	 eastern white pine
Wilderness		 	 	 	
33C: Eldon		 	 	 	
Keeno		 		 I	
42B: Peridge	 	 	 	 	
42C: Peridge		 	 	 	
51B: Claiborne		 		 	
51C2: Claiborne					
52B: Hartville					
55A: Nolin		 	 	 	
59A: Racket	 American plum; fragrant sumac	 blackhaw; gray dogwood 	 eastern redcedar; nannyberry; Washington hawthorn	 baldcypress; green ash; sweetgum	eastern white pine; pin oak
62B: Sampsel		 		 	

Dallas County, Missouri Windbreaks and Environmental Plantings

Map symbol	Trees having predicted 20-year average height, in feet, of				
and soil name	<8	8-15	16-25	26-35	>35
64A:					
Cedargap					
65:					
Cedargap					
 69:					
Dunning					
72D:					
Bolivar					
Basehor				 	
4-W:					
Miscellaneous Water					
√:					
water					
			l	l	l